



General Information

| | |
|-----------------|---------------------|
| Material number | 20523102 |
| EAN/UPC | 9008606233984 |
| Type | ceiling fan & light |

Dimensions

| | |
|---------------------------|---------------|
| Article Diameter (in mm) | 1420 |
| Article Height (in mm) | 316 |
| Canopy Height (in mm) | 60 |
| Canopy Diameter (in mm) | 155 |
| Net Weight | 7.24 Kilogram |
| Gross Weight | 8.3 Kilogram |
| Single-Box Height (in mm) | 250 |
| Single-Box Length (in mm) | 741 |
| Single-Box Depth (in mm) | 316 |

Fan

| | |
|-------------------------------|----------------|
| Motor Type | DC |
| Motor dimension in MM (Ø x H) | 155x16mm |
| Motor Wattage | 35 |
| Adjustable Canopy | 13° |
| Blade pitch in degree | Variable |
| Blade Quantity | 3 |
| Mains Voltage | 220-240V, 50Hz |

Functions

| | |
|----------|---|
| Function | timer 3-step dimming 3-step CCT 6 speeds |
|----------|---|

Material & Colour

| | |
|----------------------|-------------------|
| Blade Material | ABS, UV Resistant |
| Blade Colour (1) | black matt |
| Canopy Material | steel |
| Canopy Colour | black matt |
| Enclosure Material | steel |
| Enclosure Colour | black matt |
| Glass/Shade Material | acrylic |
| Glass/Shade Colour | milky |

Performance




| | |
|-----------------------------|-------|
| Wattage by air movement (1) | 1.8 |
| RPM (1) | 59 |
| Air Movement m3/Hr (1) | 3325 |
| Wattage by air movement (2) | 3.1 |
| RPM (2) | 75 |
| Air Movement m3/Hr (2) | 4659 |
| Wattage by air movement (3) | 7 |
| RPM (3) | 115 |
| Air Movement m3/Hr (3) | 7294 |
| Wattage by air movement (4) | 12.8 |
| RPM (4) | 145 |
| Air Movement m3/Hr (4) | 9224 |
| Wattage by air movement (5) | 21.6 |
| RPM (5) | 175 |
| Air Movement m3/Hr (5) | 11153 |
| Wattage by air movement (6) | 32.5 |
| RPM (6) | 200 |
| Air Movement m3/Hr (6) | 12961 |

Illuminant

| | |
|-----------------------|-----------|
| Illuminant Type (1) | LED |
| max. Wattage (1) | 20W |
| Light colour Complete | TRICOLOUR |

20523102
TORQUAY



| | | |
|---|--|--|
|  AIRFLOW |  HANG SURE CANOPY |  LED |
| 12961 m ³ /h | 13° | 0W |

Technical changes reserved



Contact | Support
eglo.com/uk/eglo-worldwide